

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Selank - 10mg



Tested for: NextGen Peptides
www.NGpeptide.com

COA #: COA-2026-ORKQGA
Lot Number: slk09
Accession #: ACC-2026-19924
Labeled Content: 10mg

Analysis Date: 09/23/2026
Appearance: Good
Volume: 3mL
Date Received: 09/16/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: 4UECFUCW

Method: Purity, Identity & Quantitation (HPLC), Sterility (PCR), Endotoxin (USP <85>), Heavy Metals (ICP-MS)

Identity	Peptide Purity	Fentanyl Free
Selank	99.58%	


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.58%	%	PASS
Net Peptide Content	Report Only	10.24	mg	N/A
Identity (HPLC-RTM)	Selank	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Selank 10mg - slk09

HPLC Chromatogram



Representative chromatogram, Conformity V2

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.48%	10.6 mg	Confirmed	PASS
Conformity V1	99.58%	10.24 mg	Confirmed	PASS
Conformity V2	99.57%	10.65 mg	Confirmed	PASS
Mean	99.54%	10.50 mg	—	—
Std Dev	0.0450%	0.1826 mg	—	—

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1.0 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10.0 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.12 EU/mL	PASS

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

- Date Tested: 09/23/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Selank by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
- Endotoxin tested per USP <85> kinetic chromogenic method. Acceptance criteria per client specification.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Chromatogram shown is representative: Conformity V2 (99.57% purity, closest to batch mean of 99.54%).
- Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
09/23/2026

COA #: COA-2026-ORKQGA
Access Code: 4UECFUCW
Verify: portal.ils-lab.com/verify/lkudgLPfxZRelkuJ
Issued: 09/23/2026